

RUSSELL W. PYLE*
• MICHAEL PIONTEK

OF COUNSEL
ROBERT A. LLOYD
THOMAS R. VIGIL

*Deceased



PYLE & PIONTEK
ATTORNEYS AT LAW

SUITE 2036
221 NORTH LA SALLE STREET
CHICAGO, ILLINOIS 60601
312-236-8123 • FAX 312-236-5574
E-MAIL PYLEPIONTEK@AOL.COM

18
PATENT AGENT
KAJANE McMANUS

March 19, 2007

VIA FIRST CLASS MAIL

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: Our File Ref. No.: VSTU-40002 (formerly 8008-90257)
U.S. Application Serial No.: 10/650,882
Filed: August 28, 2003
Now U.S. Patent No.: 7,178,713 B2
Granted: February 20, 2007
For: EASY OPEN ENVELOPE

Dear Sir:

While proofreading the above identified patent for accuracy in the printing thereof, some typographical errors were noted.

Since these errors do not affect the scope of protection afforded by the claims of the patent, applicant is not filing a request for Certificate of Correction.

However, applicant requests that these errors, as set forth below, be made record of in the file wrapper for the application and patent:

Column 4, line 1, after "panel" insert --28--;

Column 4, line 8 "simply" should be --simplify--.

Very truly yours,

PYLE & PIONTEK

Thomas R. Vigil

TRV/kp